
## FOR SALE



RAIL SPUR



## **800 WESTINGHOUSE BLVD**
















## **BUILDING SPECIFICATIONS**




Parcel ID:         203-062-03           Land:         9.00 Acres           Zoning:         ML-2 (Formerly I-2)           Year Built:         1965 / 1970           Total SF:         ± 124,560 SF           Main Office:         12,160 SF           Warehouse SF:         112,400 SF           Warehouse Mezz:         3,500 SF           Warehouse Mezz:         3,500 SF           Food Grade / Conditioned Warehouse:         55,900 SF           Unconditioned Warehouse:         56,500 SF           Clear Height:         16' - 18'3"           Roof:         Sawtooth (Est. 1999)           HVAC Units:         15 Units, 3 Office, 12 Warehouse           Lighting:         LED (Converted)           Sprinkler System:         Wet           Column Spacing:         28' x 50' Warehouse and 24' x 64' Conditioned Warehouse           Power:         3000 AMPS/ 3 Phase / 480V           Transformers:         1000 KVA + 750 KVA           Dock Highs:         6 w/ Swing Arm Lights, Locks,	For Sale:	Subject to Offer
Zoning:ML-2 (Formerly I-2)Year Built:1965 / 1970Total SF:± 124,560 SFMain Office:12,160 SFWarehouse SF:112,400 SFWarehouse Mezz:3,500 SFFood Grade / Conditioned Warehouse:55,900 SFUnconditioned Warehouse:56,500 SFClear Height:16' - 18'3"Roof:Sawtooth (Est. 1999)HVAC Units:15 Units, 3 Office, 12 WarehouseLighting:LED (Converted)Sprinkler System:WetColumn Spacing:28' x 50' Warehouse and 24' x 64' Conditioned WarehousePower:3000 AMPS/ 3 Phase / 480VTransformers:1000 KVA + 750 KVADock Highs:6 w/ Swing Arm Lights, Locks,	Parcel ID:	203-062-03
Year Built: 1965 / 1970  Total SF: ± 124,560 SF  Main Office: 12,160 SF  Warehouse SF: 112,400 SF  Warehouse Mezz: 3,500 SF  Warehouse Mezz: 3,500 SF  Food Grade / Conditioned Warehouse: 56,500 SF  Clear Height: 16' - 18'3"  Roof: Sawtooth (Est. 1999)  HVAC Units: 15 Units, 3 Office, 12 Warehouse  Lighting: LED (Converted)  Sprinkler System: Wet  Column Spacing: 28' x 50' Warehouse and 24' x 64' Conditioned Warehouse  Power: 3000 AMPS/ 3 Phase / 480V  Transformers: 1000 KVA + 750 KVA  7 Dock High w/ Pit Levelers, 6 w/ Swing Arm Lights, Locks,	Land:	9.00 Acres
Total SF: ± 124,560 SF  Main Office: 12,160 SF  Warehouse SF: 112,400 SF  Warehouse Office: 6,300 SF  Warehouse Mezz: 3,500 SF  Food Grade / Conditioned Warehouse: 55,900 SF  Unconditioned Warehouse: 56,500 SF  Clear Height: 16' - 18'3"  Roof: Sawtooth (Est. 1999)  HVAC Units: 15 Units, 3 Office, 12 Warehouse Lighting: LED (Converted)  Sprinkler System: Wet  Column Spacing: 28' x 50' Warehouse and 24' x 64' Conditioned Warehouse  Power: 3000 AMPS/ 3 Phase / 480V  Transformers: 1000 KVA + 750 KVA  Dock Highs: 6 w/ Swing Arm Lights, Locks,	Zoning:	ML-2 (Formerly I-2)
Main Office: 12,160 SF  Warehouse SF: 112,400 SF  Warehouse Office: 6,300 SF  Warehouse Mezz: 3,500 SF  Food Grade / 55,900 SF  Unconditioned Warehouse: 56,500 SF  Clear Height: 16' - 18'3"  Roof: Sawtooth (Est. 1999)  HVAC Units: 15 Units, 3 Office, 12 Warehouse  Lighting: LED (Converted)  Sprinkler System: Wet  Column Spacing: 28' x 50' Warehouse and 24' x 64' Conditioned Warehouse  Power: 3000 AMPS/ 3 Phase / 480V  Transformers: 1000 KVA + 750 KVA  7 Dock High w/ Pit Levelers, 6 w/ Swing Arm Lights, Locks,	Year Built:	1965 / 1970
Warehouse SF: 112,400 SF  Warehouse Office: 6,300 SF  Warehouse Mezz: 3,500 SF  Food Grade / 55,900 SF  Unconditioned Warehouse: 56,500 SF  Clear Height: 16' - 18'3"  Roof: Sawtooth (Est. 1999)  HVAC Units: 15 Units, 3 Office, 12 Warehouse  Lighting: LED (Converted)  Sprinkler System: Wet  Column Spacing: 28' x 50' Warehouse and 24' x 64' Conditioned Warehouse  Power: 3000 AMPS/ 3 Phase / 480V  Transformers: 1000 KVA + 750 KVA  7 Dock High w/ Pit Levelers, 6 w/ Swing Arm Lights, Locks,	Total SF:	± 124,560 SF
Warehouse Office: 6,300 SF  Warehouse Mezz: 3,500 SF  Food Grade / Conditioned Warehouse: 55,900 SF  Unconditioned Warehouse: 56,500 SF  Clear Height: 16' - 18'3"  Roof: Sawtooth (Est. 1999)  HVAC Units: 15 Units, 3 Office, 12 Warehouse  Lighting: LED (Converted)  Sprinkler System: Wet  Column Spacing: 28' x 50' Warehouse and 24' x 64' Conditioned Warehouse  Power: 3000 AMPS/ 3 Phase / 480V  Transformers: 1000 KVA + 750 KVA  7 Dock High w/ Pit Levelers, 6 w/ Swing Arm Lights, Locks,	Main Office:	12,160 SF
Warehouse Mezz: 3,500 SF  Food Grade / Conditioned Warehouse: 55,900 SF  Unconditioned Warehouse: 56,500 SF  Clear Height: 16' - 18'3"  Roof: Sawtooth (Est. 1999)  HVAC Units: 15 Units, 3 Office, 12 Warehouse  Lighting: LED (Converted)  Sprinkler System: Wet  Column Spacing: 28' x 50' Warehouse and 24' x 64' Conditioned Warehouse  Power: 3000 AMPS/ 3 Phase / 480V  Transformers: 1000 KVA + 750 KVA  7 Dock High w/ Pit Levelers, 6 w/ Swing Arm Lights, Locks,	Warehouse SF:	112,400 SF
Food Grade / Conditioned Warehouse: 55,900 SF  Unconditioned Warehouse: 56,500 SF  Clear Height: 16' - 18'3"  Roof: Sawtooth (Est. 1999)  HVAC Units: 15 Units, 3 Office, 12 Warehouse  Lighting: LED (Converted)  Sprinkler System: Wet  Column Spacing: 28' x 50' Warehouse and 24' x 64' Conditioned Warehouse  Power: 3000 AMPS/ 3 Phase / 480V  Transformers: 1000 KVA + 750 KVA  7 Dock High w/ Pit Levelers, 6 w/ Swing Arm Lights, Locks,	Warehouse Office:	6,300 SF
Conditioned Warehouse: 55,900 SF  Unconditioned Warehouse: 56,500 SF  Clear Height: 16' - 18'3"  Roof: Sawtooth (Est. 1999)  HVAC Units: 15 Units, 3 Office, 12 Warehouse  Lighting: LED (Converted)  Sprinkler System: Wet  Column Spacing: 28' x 50' Warehouse and 24' x 64' Conditioned Warehouse  Power: 3000 AMPS/ 3 Phase / 480V  Transformers: 1000 KVA + 750 KVA  7 Dock High w/ Pit Levelers, 6 w/ Swing Arm Lights, Locks,	Warehouse Mezz:	3,500 SF
Clear Height: 16' - 18'3"  Roof: Sawtooth (Est. 1999)  HVAC Units: 15 Units, 3 Office, 12 Warehouse  Lighting: LED (Converted)  Sprinkler System: Wet  Column Spacing: 28' x 50' Warehouse and 24' x 64' Conditioned Warehouse  Power: 3000 AMPS/ 3 Phase / 480V  Transformers: 1000 KVA + 750 KVA  7 Dock High w/ Pit Levelers, 6 w/ Swing Arm Lights, Locks,		55,900 SF
Roof: Sawtooth (Est. 1999)  HVAC Units: 15 Units, 3 Office, 12 Warehouse  Lighting: LED (Converted)  Sprinkler System: Wet  Column Spacing: 28' x 50' Warehouse and 24' x 64' Conditioned Warehouse  Power: 3000 AMPS/ 3 Phase / 480V  Transformers: 1000 KVA + 750 KVA  7 Dock High w/ Pit Levelers, 6 w/ Swing Arm Lights, Locks,	Unconditioned Warehouse:	56,500 SF
HVAC Units:  15 Units, 3 Office, 12 Warehouse  Lighting:  LED (Converted)  Sprinkler System:  Wet  Column Spacing:  28' x 50' Warehouse and 24' x 64' Conditioned Warehouse  Power:  3000 AMPS/ 3 Phase / 480V  Transformers:  1000 KVA + 750 KVA  7 Dock High w/ Pit Levelers, 6 w/ Swing Arm Lights, Locks,	Clear Height:	16' - 18'3"
HVAC Units:  12 Warehouse  Lighting:  LED (Converted)  Sprinkler System:  Wet  Column Spacing:  28' x 50' Warehouse and 24' x 64' Conditioned Warehouse  Power:  3000 AMPS/ 3 Phase / 480V  Transformers:  1000 KVA + 750 KVA  7 Dock High w/ Pit Levelers, 6 w/ Swing Arm Lights, Locks,	Roof:	Sawtooth (Est. 1999)
Sprinkler System: Wet  Column Spacing: 28' x 50' Warehouse and 24' x 64' Conditioned Warehouse  Power: 3000 AMPS/ 3 Phase / 480V  Transformers: 1000 KVA + 750 KVA  7 Dock High w/ Pit Levelers, 6 w/ Swing Arm Lights, Locks,	HVAC Units:	
Column Spacing:  28' x 50' Warehouse and 24' x 64' Conditioned Warehouse  Power:  3000 AMPS/ 3 Phase / 480V  Transformers:  1000 KVA + 750 KVA  7 Dock High w/ Pit Levelers, 6 w/ Swing Arm Lights, Locks,	Lighting:	LED (Converted)
Power: 3000 AMPS/ 3 Phase / 480V  Transformers: 1000 KVA + 750 KVA  7 Dock High w/ Pit Levelers, 6 w/ Swing Arm Lights, Locks,	Sprinkler System:	Wet
Transformers: 1000 KVA + 750 KVA  7 Dock High w/ Pit Levelers, 6 w/ Swing Arm Lights, Locks,	Column Spacing:	
7 Dock High w/ Pit Levelers, Oock Highs: 6 w/ Swing Arm Lights, Locks,	Power:	3000 AMPS/ 3 Phase / 480V
Dock Highs: 6 w/ Swing Arm Lights, Locks,	Transformers:	1000 KVA + 750 KVA
Seals, & Bumpers	Dock Highs:	
Grade Level: 1 Grade Level (10' x 10')	Grade Level:	1 Grade Level (10' x 10')
Rail Doors: 4 Rail Doors (10' x 10')	Rail Doors:	4 Rail Doors (10' x 10')
Rail: Norfolk Southern (Inactive)	Rail:	Norfolk Southern (Inactive)
Auto Parking: 122 Spaces	Auto Parking:	122 Spaces
Truck Court: 135' (Fenced)	Truck Court:	135' (Fenced)

## **FLOOR PLAN**









For More Information, Please Contact:

Andrew DeLamielleure +1 704 887 3020 andrew.delamielleure@cushwake.com

Frances Crisler +1 704 620 6014 frances.crisler@cushwake.com

©2024 Cushman & Wakefield. All rights reserved. The information contained in this communication is strictly confidential. This information has been obtained from sources believed to be reliable but has not been verified. NO WARRANTY OR REPRESENTATION, EXPRESS OR IMPLIED, IS MADE AS TO THE CONDITION OF THE PROPERTY (OR PROPERTIES) REFERENCED HEREIN OR AS TO THE ACCURACY OR COMPLETENESS OF THE INFORMATION CONTAINED HEREIN, AND SAME IS SUBMITTED SUBJECT TO ERRORS, OMISSIONS, CHANGE OF PRICE, RENTAL OR OTHER CONDITIONS, WITHDRAWAL WITHOUT NOTICE, AND TO ANY SPECIAL LISTING CONDITIONS IMPOSED BY THE PROPERTY OWNER(S). ANY PROJECTIONS, OPINIONS OR ESTIMATES ARE SUBJECT TO UNCERTAINTY AND DO NOT SIGNIFY CURRENT OR FUTURE PROPERTY PERFORMANCE.

